

**NOTES**

1. THESE DRAWINGS AND ALL TO BE USED FOR CONSTRUCTION.
2. THESE DRAWINGS ARE FOR GENERAL PURPOSES ONLY.
3. DO NOT SUPPLY THESE DRAWINGS AS PART OF YOUR DRAWING PACKAGE.
4. DRAWINGS SUBJECT TO ANY CHANGE ARE TO BE MADE AT A SEPARATE SCALE FOR PLUMBING, ELECTRICAL, ETC.
5. REFER TO THE SOURCE DRAWING OF ALL FOR TYPING REQUIREMENTS.

**LEGEND**



INDICATES VISIBILITY CORNER AND / OR OCCUPANCIES. DO NOT INCLUDE THESE TYPES IN YOUR DRAWING PACKAGE.



INDICATES INFORMATION FOR SCHEDULES IN YOUR DRAWING PACKAGE. THIS INFORMATION CONSIDERS ALL APPLICABLE CODES FOR ALL OTHER MATERIALS AND OTHER MATERIALS.

**GENERAL DRAWINGS**

THE FOLLOWING SHEET TYPES OF DRAWINGS SHALL BE SUBMITTED WITH YOUR BIDDING PACKAGE. PLEASE SEE THE CORRESPONDING SHEETS FOR DETAILED DRAWINGS.


1. FOUNDATION PLAN SHEET 1 OF 3
2. FLOOR PLAN SHEET 2 OF 3  
(THIS DRAWING AND ALL OTHERS TO BE COMPLETED FOR YOUR TYPING OF CONSTRUCTION).
3. FRONT ELEVATION SHEET 3 OF 3
4. BACK ELEVATION SHEET 4 OF 3
5. LEFT ELEVATION SHEET 5 OF 3
6. RIGHT ELEVATION SHEET 6 OF 3
7. CROSS SECTION SHEET 7 OF 3

**ALTERNATE DRAWINGS:**


- SHEETS 1 TO 7 OF THIS DRAWING REQUIRE LUBRICANTS TO ACCORD FRAME JOINTS WITH A FOUNDATION AND FOOTING AS AN EXAMPLE. REFER TO THE FOUNDATION DRAWINGS FOR ALL OTHER CONSTRUCTION DETAILS. THE INFORMATION ON THE ALTERNATE DRAWINGS SHALL BE SUBSTITUTED INTO THE REQUIRED TYPES OF DRAWINGS TO BE SUBMITTED.
1. ADDITIONAL FOUNDATION WALL SHEET 8 OF 3  
WITH STEEL REINFORCEMENT.
  2. ADDITIONAL FOUNDATION WALL SHEET 9 OF 3  
WITH PRESSURE TREATED WOOD MEMBERS AND FLOOR.
  3. CONCRETE BLOCK WALL AND FOUNDATION WITH CONCRETE JOINTS SHEET 10 OF 3
- OTHER INFORMATION
1. SPAN TABLE SHEET 11 OF 3


**GARAGE / SHED DRAWING HANDOUT PACKAGE**

SCALE: 1/8" = 1'-0"




GARAGE / SHED - FOUNDATION PLAN










WOOD SILL  
STEEL STUDS

CONCRETE FOUNDATION  
OR SCOP

SEE THE OTHER SHEETS  
OF THIS PROJECT







FLOOR JOIST SPRUCE-PINE-FIR #1 & #2	2"x8"		2"x8"		2"x10"				
	SPACING - ON CENTRE	12"	16"	24"	SPACING - ON CENTRE	12"	16"	24"	
STRAPPING	9'-7"	8'-11"	8'-2"	11'-7"	11'-0"	10'-6"	13'-8"	13'-0"	12'-5"
BRIDGING	10'-4"	9'-5"	8'-2"	12'-6"	11'-8"	10'-9"	14'-7"	13'-8"	12'-11"
BRIDGING & STRAPPING	10'-4"	9'-5"	8'-2"	13'-2"	12'-3"	10'-9"	15'-2"	14'-2"	13'-2"

ROOF FRAMING SPRUCE-PINE-FIR #1 & #2	CEILING JOISTS		ROOF JOISTS		ROOF RAFTERS				
	NOMINAL JOIST SIZE	SPACING - ON CENTRE	SPACING - ON CENTRE	SPACING - ON CENTRE	SPACING - ON CENTRE	SPACING - ON CENTRE			
2"x4"	10'-2"	9'-4"	8'-1"	7'-1"	6'-5"	5'-7"	8'-11"	8'-1"	7'-1"
2"x5"	13'-5"	11'-7"	10'-6"	9'-1"	8'-4"	7'-2"	11'-5"	10'-5"	9'-1"
2"x6"	16'-1"	14'-7"	12'-9"	11'-2"	10'-1"	8'-10"	14'-0"	12'-9"	11'-2"
2"x8"	21'-2"	19'-2"	16'-9"	14'-8"	13'-4"	11'-7"	18'-5"	16'-9"	14'-5"
2"x10"	27'-0"	24'-5"	21'-5"	18'-8"	17'-0"	14'-10"	23'-7"	21'-5"	17'-8"
2"x12"	32'-0"	29'-10"	26'-0"	22'-9"	20'-8"	18'-0"	28'-8"	25'-2"	20'-5"

RIDGE BEAM SPRUCE-PINE-FIR #1 & #2	2"x8"		2"x10"		2"x12"				
	SUPPORTED LENGTH	NUMBER OF MEMBERS	NUMBER OF MEMBERS	NUMBER OF MEMBERS	NUMBER OF MEMBERS	NUMBER OF MEMBERS			
8'-0"	10'-8"	12'-4"	13'-9"	13'-0"	15'-1"	16'-10"	15'-1"	17'-5"	19'-8"
10'-9"	9'-5"	11'-0"	12'-4"	11'-8"	13'-5"	15'-1"	13'-6"	15'-7"	17'-5"
12'-0"	8'-8"	10'-0"	11'-3"	10'-8"	12'-3"	13'-9"	12'-4"	14'-3"	15'-11"
14'-0"	6'-0"	9'-3"	10'-5"	9'-10"	11'-5"	12'-9"	11'-5"	13'-2"	14'-9"
16'-0"	7'-6"	8'-8"	9'-6"	9'-3"	10'-6"	11'-11"	10'-8"	12'-4"	13'-10"
18'-0"	7'-3"	8'-2"	9'-2"	8'-9"	10'-0"	11'-3"	10'-1"	11'-8"	13'-0"
20'-0"	5'-9"	7'-9"	8'-5"	8'-3"	9'-6"	10'-8"	9'-6"	11'-1"	12'-4"

LINTEL - SPRUCE-PINE-FIR #1 & #2	LINTEL - SPRUCE-PINE-FIR #1 & #2		LINTEL - SPRUCE-PINE-FIR #1 & #2	
	ROOF & CEILING LOAD ONLY	MAXIMUM SPAN FOR EXTERIOR WALL	ROOF & CEILING LOAD ONLY	MAXIMUM SPAN FOR EXTERIOR WALL
2-2"x4"	3'-8"	5'-5"	3-2"x10"	10'-4"
2-2"x6"	5'-5"	8'-8"	4-2"x10"	11'-11"
2-2"x8"	8'-8"	11'-11"	5-2"x10"	13'-0"
3-2"x8"	9'-5"	14'-0"	2-2"x12"	9'-5"
4-2"x8"	10'-2"	16'-8"	3-2"x12"	12'-0"
5-2"x8"	11'-11"	19'-8"	4-2"x12"	13'-11"
2-2"x10"	8'-1"	12'-4"	5-2"x12"	15'-6"

BRICK ANGLE	BRICK ANGLE		BRICK ANGLE	
	ANGLE SIZE FOR 4" BRICK	MAXIMUM SPAN FOR EXTERIOR WALL	ANGLE SIZE FOR 4" BRICK	MAXIMUM SPAN FOR EXTERIOR WALL
L-3 1/2"x3 1/2"x1/4"	4'-0"	L-6"x3 1/2"x3/8"	11'-6"	
L-3 1/2"x3 1/2"x1/3"	5'-0"	L-6"x4 7/16"	13'-6"	
L-4"x3 1/2"x1/3"	7'-0"	L-7"x4 7/16"	14'-0"	
L-5"x3 1/2"x1/3"	8'-0"	L-8"x4 7/16"	16'-0"	
L-5"x3 1/2"x3/8"	9'-0"			